



TEST REPORT

(시험 성적서)

신청기관 (인) : 한국 다이요 잉크
Applicant : TAIYO INK MFG. CO., (KOREA) LTD.

주소 (한글) : 경기도 안산시 단원구 신길동 1058-8
Address (Engl.) : 1058-8, Singil-dong, Danwon-gu,
Ansan-city, Gyeonggi-do, Korea

발행면수 (Page) : 1 of 5
발행일자 (Date) : 2014. 01. 03.

시험성적서 번호 (Report No.) : RT13R-S5879-002-K1

시료 명세 (Sample Description) : 시료에 대한 상세한 정보는 아래와 같음
(The following submitted sample(s) said to be)

제품명/형식 (Name/Type of Product) : S-200 Y5GS WITH HARDENER
(S-200 Y5GS WITH HARDENER)

시료고유번호 (Sample ID No.) : RT13R-S5879-002
(RT13R-S5879-002)

제품 생산자/공급자 (Manufacturer/Vender) : 한국 다이요 잉크
(TAIYO INK MFG. CO., (KOREA) LTD.)

제출처 (Name of Buyer) : 제품사용고객
(제품사용고객)

시료접수일자 (Sample received) : 2013. 12. 26.
(Dec. 26, 2013)

시험일자 (Testing Date) : 2013. 12. 26. ~ 2014. 01. 03.
(Dec. 26, 2013 ~ Jan. 03, 2014)

시험유형 (Test Type) : RoHS 화학분석
(RoHS wet chemical analysis)

시험방법 (Test Method) : 이 시험성적서의 다음 페이지 첨부
(Please see the following page)

시험결과 (Test Result) : 이 시험성적서의 다음 페이지 첨부
(Please see the following page)

비고 (Notes) : 1. 이 시험성적서는 제시된 시료 및 시료명으로 시험한 결과로서 유사 대상시료에 적용할 수 없음.
(The test results presented in this report relate only to the object tested.)
2. 이 시험성적서는 승인없이 복사 사용을 금함.
(This report shall not be reproduced except in full without the written approval of the testing laboratory.)

승인자 (Approved by)

장준용/기술책임자 (Jade Jang / Lab. Technical Manager)

권한자 (Authorized by)

박병욱/소장 (Bo Park / Lab. General Manager)

This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0026 Daegu Office : Tel : 053-600-8647 Fax : 053-600-8645 Web Site : www.Intertek.co.kr
Seoul Lab. Address : 1/F, A-ju Digital Tower, #284-56, Seongsu 2-ga, Seongdong-Gu, Seoul, 133-833 Korea
Ulsan Lab. Address : #340-2, Yongam-Ri, Chongryang-Myun, Ulsu-Gun, Ulsan 689-865 Korea



TEST REPORT

(시험 성적서)

발행면수 (Page) : 2 of 5

발행일자 (Date) : 2014. 01. 03.

시험성적서 번호 (Report No.) : RT13R-S5879-002-K1

시료고유번호 (Sample ID No.) : RT13R-S5879-002

시료명 (Sample Description) : S-200 Y5GS WITH HARDENER
(S-200 Y5GS WITH HARDENER)

시험항목 (Test Item)	단위 (Unit)	분석방법 (Test Method)	검출한계 (MDL)	시험결과 (Result)
카드뮴 (Cadmium, Cd)	mg/kg	With reference to IEC 62321-5 Edition 1.0 : 2013, by acid digestion and determined by ICP-OES	0.5	N.D.
납 (Lead, Pb)	mg/kg	With reference to IEC 62321-5 Edition 1.0 : 2013, by acid digestion and determined by ICP-OES	2	N.D.
수은 (Mercury, Hg)	mg/kg	With reference to IEC 62321-4 Edition 1.0 : 2013, by acid digestion and determined by ICP-OES	2	N.D.
6가 크롬 (Hexavalent Chromium, Cr ⁶⁺) (For non-metal)	mg/kg	With reference to IEC 62321 Edition 1.0 : 2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1	N.D.

Tested by : Seonae Kim, Hyojoo Kim

Notes : mg/kg = ppm = parts per million (함량 표시 : 백만분의 일)

< = Less than (결과 값 이하)

N.D. = Not detected (< MDL, 미검출 - 검출한계 이하)

MDL = Method detection limit (검출한계)

This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0026 Daegu Office : Tel : 053-600-8647 Fax : 053-600-8645 Web Site : www.intertek.co.kr

Seoul Lab. Address : 1/F, A-ju Digital Tower, #284-56, Seongsu 2-ga, Seongdong-Gu, Seoul, 133-833 Korea

Ulsan Lab. Address : #340-2, Yongam-Ri, Chongryang-Myun, Ulsan-Gun, Ulsan 689-865 Korea



TEST REPORT

(시험 성적서)

발행면수 (Page) : 3 of 5

발행일자 (Date) : 2014. 01. 03.

시험성적서 번호 (Report No.) : RT13R-S5879-002-K1

시료 고유번호 (Sample ID No.) : RT13R-S5879-002

시료명 (Sample Description) : S-200 Y5GS WITH HARDENER
(S-200 Y5GS WITH HARDENER)

시험항목 (Test Item)	단위 (Unit)	분석방법 (Test Method)	검출한계 (MDL)	시험결과 (Result)
폴리브로민화비페닐 (Polybrominated Biphenyls, PBBs)				
모노브로모비페닐 (MonoBB)	mg/kg	With reference to IEC 62321 Edition 1.0 : 2008, by solvent extraction and determined by GC/MS	5	N.D.
다이브로모비페닐 (DiBB)	mg/kg		5	N.D.
트라이브로모비페닐 (TriBB)	mg/kg		5	N.D.
테트라브로모비페닐 (TertaBB)	mg/kg		5	N.D.
펜타브로모비페닐 (PentaBB)	mg/kg		5	N.D.
헥사브로모비페닐 (HexaBB)	mg/kg		5	N.D.
헵타브로모비페닐 (HeptaBB)	mg/kg		5	N.D.
옥타브로모비페닐 (OctaBB)	mg/kg		5	N.D.
노나브로모비페닐 (NonaBB)	mg/kg		5	N.D.
데카브로모비페닐 (DecaBB)	mg/kg		5	N.D.
폴리브로민화디페닐에테르 (Polybrominated Diphenyl Ethers, PBDEs)				
모노브로모디페닐에테르 (MonoBDE)	mg/kg	With reference to IEC 62321 Edition 1.0 : 2008, by solvent extraction and determined by GC/MS	5	N.D.
다이브로모디페닐에테르 (DiBDE)	mg/kg		5	N.D.
트라이브로모디페닐에테르 (TriBDE)	mg/kg		5	N.D.
테트라브로모디페닐에테르 (TetraBDE)	mg/kg		5	N.D.
펜타브로모디페닐에테르 (PentaBDE)	mg/kg		5	N.D.
헥사브로모디페닐에테르 (HexaBDE)	mg/kg		5	N.D.
헵타브로모디페닐에테르 (HeptaBDE)	mg/kg		5	N.D.
옥타브로모디페닐에테르 (OctaBDE)	mg/kg		5	N.D.
노나브로모디페닐에테르 (NonaBDE)	mg/kg		5	N.D.
데카브로모디페닐에테르 (DecaBDE)	mg/kg		5	N.D.

Tested by : Misun Lee

Notes : mg/kg = ppm = parts per million (함량 표시 : 백만분의 일)

<= Less than (결과 값 이하)

N.D. = Not detected (< MDL, 미검출 - 검출한계 이하)

MDL = Method detection limit (검출한계)

This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0026 Daegu Office : Tel : 053-600-8647 Fax : 053-600-8645 Web Site : www.Intertek.co.kr

Seoul Lab. Address : 1/F, A-ju Digital Tower, #284-56, Seongsu 2-ga, Seongdong-Gu, Seoul, 133-833 Korea

Ulsan Lab. Address : #340-2, Yongam-Ri, Chongryang-Myun, Ulsan-Gun, Ulsan 689-865 Korea



TEST REPORT

(시험 성적서)

발행면수 (Page) : 4 of 5

발행일자 (Date) : 2014. 01. 03.

시험성적서 번호 (Report No.) : RT13R-S5879-002-K1

시료고유번호 (Sample ID No.) : RT13R-S5879-002

시료명 (Sample Description) : S-200 Y5GS WITH HARDENER
(S-200 Y5GS WITH HARDENER)

* 시료 접수 시 시료 상태 :
(View of sample as received)



This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0026 Daegu Office : Tel : 053-600-8647 Fax : 053-600-8645 Web Site : www.Intertek.co.kr

Seoul Lab. Address : 1/F, A-ju Digital Tower, #284-56, Seongsu 2-ga, Seongdong-Gu, Seoul, 133-833 Korea

Ulsan Lab. Address : #340-2, Yongam-Ri, Chongryang-Myun, Ulju-Gun, Ulsan 689-865 Korea



TEST REPORT

(시험 성적서)


발행면수 (Page) : 5 of 5

발행일자 (Date) : 2014. 01. 03.

시험성적서 번호 (Report No.) : RT13R-S5879-002-K1

시료고유번호 (Sample ID No.) : RT13R-S5879-002

시료명 (Sample Description) : S-200 Y5GS WITH HARDENER
(S-200 Y5GS WITH HARDENER)



Remarks :

*1 : List of appropriate acid :

Material	Acid added for digestion
Polymers	HNO ₃ , HCl, HF, H ₂ O ₂ , H ₃ BO ₃
Metals	HNO ₃ , HCl, HF
Electronics	HNO ₃ , HCl, H ₂ O ₂ , HBF ₄

*2 : The samples were dissolved totally by pre-conditioning method according to above flow chart.

***** End of Report *****

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Services Korea Ltd.

Seoul Office: Tel : 02-6090-9500 Fax : 02-3409-0026 Daegu Office : Tel : 053-600-8647 Fax : 053-600-8645 Web Site : www.Intertek.co.kr

Seoul Lab. Address : 1/F, A-ju Digital Tower, #284-56, Seongsu 2-ga, Seongdong-Gu, Seoul, 133-833 Korea

Ulsan Lab. Address : #340-2, Yongam-Ri, Chongryang-Myun, Ulju-Gun, Ulsan 689-865 Korea