

測試報告

Test Report

號碼(No.): ETA21A00085

日期(Date): 25-Oct-2021

頁數(Page): 1 of 9

ISOLA GROUP

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Name) : LAMINATE 樣品型號(Style/Item No.) : 185HR

收件日(Sample Receiving Date)

14-Oct-2021

測試期間(Testing Period)

: 14-Oct-2021 to 25-Oct-2021

測試需求(Test Requested)

(1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測 試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted

sample(s).)


(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages.)

結 論(Conclusion)

(1) 根據客戶所提供的樣品,其編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)





PIN CODE: B87436BB



測試報告

Test Report

號碼(No.): ETA21A00085 日期(Date): 25-Oct-2021 頁數(Page): 2 of 9

ISOLA GROUP

測試部位敘述 (Test Part Description)

No.1 : 銅色片狀 (COPPER COLORED SHEET)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	100
43-9)	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	參考IEC 62321-5: 2013 · 以感應耦合電漿	mg/kg	2	n.d.	1000
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
王 (II a) (Manayan (II a)) (CAC Na · 7420	by ICP-OES.) 参考IEC 62321-4: 2013+ AMD1: 2017,		2	ın al	1000
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439- 97-6)		mg/kg	2	n.d.	1000
97-6)	reference to IEC 62321-4: 2013+ AMD1:				
	2017, analysis was performed by ICP-				
	OES.)				
六價鉻 (Hexavalent Chromium) Cr(VI)	參考IEC 62321-5: 2013, IEC 62321-7-2:	mg/kg	8	n.d.	1000
(CAS No.: 18540-29-9) (◆)	2017,以感應耦合電漿發射光譜儀、紫外				
, , ,	光-可見光分光光度計分析。(With				
	reference to IEC 62321-5: 2013, IEC				
	62321-7-2: 2017, analysis was				
	performed by ICP-OES, UV-VIS.)				
一溴聯苯 (Monobromobiphenyl)	參考IEC 62321-6: 2015,以氣相層析儀/質 譜儀分析。(With reference to IEC 62321- 6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	=
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	=
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000



ISOLA GROUP

號碼(No.): ETA21A00085 日期(Date): 25-Oct-2021 頁數(Page): 3 of 9

測試項目 (Test Items) — 溴聯苯醚 (Monobromodiphenyl ether) — 溴聯苯醚 (Dibromodiphenyl ether) — 溴聯苯醚 (Tribromodiphenyl ether) 四 溴聯苯醚 (Tetrabromodiphenyl ether)	測試方法 (Method)	單位 (Unit) mg/kg	MDL	結果 (Result) No.1	限值 (Limit)
一溴聯苯醚 (Monobromodiphenyl ether) 二溴聯苯醚 (Dibromodiphenyl ether) 三溴聯苯醚 (Tribromodiphenyl ether)	(Method)	, ,		,	(Limit)
二溴聯苯醚 (Dibromodiphenyl ether) 三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg		No 1	
二溴聯苯醚 (Dibromodiphenyl ether) 三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	_		
三溴聯苯醚 (Tribromodiphenyl ether)			5	n.d.	-
. ,		mg/kg	5	n.d.	-
四溴聮苯醚 (Tetrabromodinhanyl ether)		mg/kg	5	n.d.	
	 参考IEC 62321-6: 2015 · 以氣相層析儀/質	mg/kg	5	n.d.	-
立 吳 聯 本 髄 (Pentabromodipnenyl etner)	普儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯本醚 (Hexabromodiphenyl ether)	普懐分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
七:見勝米嘛 (Hentahromodinhenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)	3C/1013.)	mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP)) (CAS No.: 85-68-7)					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl		mg/kg	50	n.d.	1000
phthalate (DBP)) (CAS No.: 84-74-2)					
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP)) (CAS					
No.: 117-81-7)	☆ ≯JFC C2221 0. 2017 - 以与42 F K				
※ 本 ロ ※ 弁 」 ※ (1) R D) (1) II C O D IT / I I I I I I I I I I	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
A = A + A + A + A + A + A + A + A + A +					
		mg/kg	50	n.d.	-
phthalate (DIDP)) (CAS No.: 26761-40-	JC/IVIS.)				
0, 68515-49-1)					
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl		mg/kg	50	n.d.	
phthalate (DINP)) (CAS No.: 28553-12-					
0, 68515-48-0)					
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl		mg/kg	50	n.d.	
phthalate (DNOP)) (CAS No.: 117-84-0)					



ISOLA GROUP

號碼(No.): ETA21A00085 日期(Date): 25-Oct-2021 頁數(Page): 4 of 9

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008·以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. (*):

若鉻含量小於六價鉻之方法偵測極限值,則六價鉻為n.d.,不須再測試六價鉻。

The result of Cr(VI) is "n.d." as the result of Chromium (Cr) is less than the MDL of Cr(VI), and confirmation test of Cr(VI) is not required.

若鉻含量未小於六價鉻之方法偵測極限值,需進行六價鉻測試。

If the Chromium (Cr) content is not less than the MDL of Cr(VI), confirmation test of Cr(VI) is required.

6. 符合性結果之判定係以測試結果與限值做比較。(The statement of compliance conformity is based on comparison of testing results and limits.)



ISOLA GROUP


號碼(No.): ETA21A00085 日期(Date): 25-Oct-2021

頁數(Page): 5 of 9

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






ISOLA GROUP

號碼(No.): ETA21A00085 日期(Date): 25-Oct-2021 頁數(Page): 6 of 9

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






ISOLA GROUP

號碼(No.): ETA21A00085 日期(Date): 25-Oct-2021

(Date): 25-Oct-2021 頁數(Page): 7 of 9

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






ISOLA GROUP

號碼(No.): ETA21A00085 日期(Date): 25-Oct-2021

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 8 of 9



ISOLA GROUP

號碼(No.): ETA21A00085 日期(Date): 25-Oct-2021

-2021 頁數(Page): 9 of 9

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETA21A00085



** 報告結尾 (End of Report) **